

The above change ~~was done since this was the first instance that such nozzle conduits were introduced into the claims and to provide proper antecedent basis.~~

✓ Claim 35, lines 13, the phrase --said predetermined number of rearwardly directed-- has been inserted before the phrase "alternate streamer nozzles".

✓ Claim 35, lines 18, the phrase --array of said predetermined number of rearwardly directed-- has been inserted before the phrase "alternate streamer nozzles".

The above changes ~~were done provide proper antecedent basis and to remove any double inclusion issues.~~

✓ Claim 35, line 19, the phrase "said liquid per unit length of pavement" has been changed to -- said snow/ice treatment liquid per unit length of roadway--.

The above change ~~was done to maintain proper antecedent basis throughout the claims.~~

IIFW SENT

✓ Claim 37, line <sup>2</sup>~~1~~, the phrase --said predetermined number of rearwardly directed-- has been inserted before the phrase "alternate streamer nozzles".

The above changes ~~were done provide proper antecedent basis and to remove any double inclusion issues.~~

✓ Claim 38, line 13, the phrase "said pavement surface" has been changed to --said roadway surface--.

✓ Claim 38, line 26, the phrase "said liquid per unit length of pavement" has been changed to -- said snow/ice treatment liquid per unit length of roadway--.

✓ Claim 38, line 28, the phrase --said plurality of spaced apart rearwardly directed-- has been inserted before the phrase "streamer nozzles to effect expression".

CH  
8/3/06

Claim 38, line 28, the phrase --spaced apart rearwardly directed-- has been inserted before the phrase "streamer nozzles at a".

Claim 38, line 28, the phrase "said liquid" has been changed to --said snow/ice treatment liquid--.

Claim 38, line 30, the phrase "combined volume per unit length of pavement" has been changed to --combined volume of said snow/ice treatment liquid per unit length of roadway--.

Claim 38, line 31, the phrase --said snow/ice treatment liquid per unit length of roadway-- has been added after the phrase "said target volume".

Claim 40, line 2, the phrase --spaced apart rearwardly directed-- has been inserted before the phrase "streamer nozzles".

Claim 41, line 2, the phrase --spaced apart rearwardly directed-- has been inserted before the phrase "streamer nozzles".

Claim 42, line 3, the phrase --spaced apart rearwardly directed-- has been inserted before the phrase "streamer nozzles".

Claim 43, line 2, the phrase --spaced apart rearwardly directed-- has been inserted before the phrase "streamer nozzles".

The above changes were done to maintain proper antecedent basis throughout the claims.

Claim 44, line <sup>8</sup>~~26~~, the phrase "said liquid per unit length of pavement" has been changed to -- said snow/ice treatment liquid per unit length of roadway--.

IIFW SENT

CH  
8/3/06